

Crayton J. Yapp
(as of February 15, 2010)

PUBLICATIONS:

Articles in refereed journals:

- Epstein, S., Yapp, C.J. and Hall, J.H. (1976) The determination of the D/H ratio of nonexchangeable hydrogen in cellulose extracted from aquatic and land plants, *Earth and Planetary Science Letters* 30, 241-251.
- Epstein, S. and Yapp, C.J. (1976) Climatic implications of the D/H ratio of hydrogen in C-H groups in tree cellulose, *Earth and Planetary Science Letters* 30, 252-261.
- Epstein, S. and Yapp, C.J. (1977) Isotope tree thermometers, *Nature* 266, 477.
- Yapp, C.J. and Epstein, S. (1977) Climatic implications of D/H ratios of meteoric water over North America (9500-22,000 B.P.) as inferred from ancient wood cellulose C-H hydrogen, *Earth and Planetary Science Letters* 34, 333-350.
- Epstein, S., Thompson, P. and Yapp, C.J. (1977) Oxygen and hydrogen isotopic ratios in plant cellulose, *Science* 198, 1209-1215.
- O'Leary, M.H. and Yapp, C.J. (1978) Equilibrium carbon isotope effect on a decarboxylation reaction, *Biochem. Biophys. Res. Comm.* 80, 155-160.
- Yapp, C.J. (1979) Oxygen and carbon isotope measurements of land snail shell carbonate, *Geochimica et Cosmochimica Acta* 46, 629-635.
- O'Leary, M.H., Yamada, H. and Yapp, C.J. (1981) Multiple isotope effect probes of glutamate decarboxylase, *Biochemistry* 20, 1476-1481.
- Yapp, C.J. and Epstein, S. (1982) A re-examination of cellulose carbon-bound hydrogen δD measurements and some factors affecting plant-water D/H relationships, *Geochimica et Cosmochimica Acta* 46, 955-965.
- Yapp, C.J. and Epstein, S. (1982) Climatic significance of the hydrogen isotope ratios in tree cellulose, *Nature* 297, 636-639.
- Yapp, C. J. (1982) A model for the relationships between precipitation D/H ratios and precipitation intensity, *Journal of Geophysical Research* 87, C12, 9614-9620.
- Yapp, C.J. (1983) Stable hydrogen isotopes in iron oxides--isotope effects associated with the dehydration of a natural goethite, *Geochimica et Cosmochimica Acta* 47, 1277-1287.

- Yapp, C. J. (1983) Effects of AlOOH-FeOOH solid solution on goethite-hematite equilibrium, *Clays and Clay Minerals* 31, 239-240.
- Yapp, C.J. (1985) D/H variations of meteoric waters in Albuquerque, New Mexico, USA, *Journal of Hydrology* 76, 63-84.
- Yapp, C.J. and Epstein, S. (1985) Seasonal contributions to the climatic variations recorded in tree ring D/H data, *Journal of Geophysical Research* 90, D2, 3747-3752.
- Yapp, C.J. and Pedley, M.D. (1985) Stable hydrogen isotopes in iron oxides-II. D/H variations among natural goethites, *Geochimica et Cosmochimica Acta* 49, 487-495.
- Yapp, C.J. and Poths, H. (1986) Carbon in natural goethites, *Geochimica et Cosmochimica Acta* 50, 1213-1220.
- Yapp, C.J. (1987) Oxygen and hydrogen isotope variations among goethites (α -FeOOH) and the determination of paleotemperatures, *Geochimica et Cosmochimica Acta* 51, 355-364.
- Yapp, C.J. (1987) A possible goethite-iron (III) carbonate solid solution and the determination of CO₂ partial pressures in low temperature geologic systems, *Chemical Geology* 64, 259-268.
- Yapp, C.J. (1990) Oxygen isotopes in iron (III) oxides. 1. Mineral-water fractionation factors, *Chemical Geology* 85, 329-335.
- Yapp, C.J. (1990) Oxygen isotopes in iron (III) oxides: 2. possible constraints on the depositional environment of a Precambrian quartz-hematite BIF, *Chemical Geology* 85, 337-344.
- Yapp, C.J. (1990) Oxygen isotope effects associated with the solid state FeOOH to Fe₂O₃ phase transformation, *Geochimica et Cosmochimica Acta* 54, 229-236.
- Yapp, C.J. and Poths, H. (1990) Infrared spectral evidence for a minor Fe(III) carbonate-bearing component in natural goethite, *Clays and Clay Minerals* 38, 442-444.
- Yapp, C.J. and Poths, H. (1991) ¹³C/¹²C ratios of the Fe(III) carbonate component in natural goethites, *Stable Isotope Geochemistry: A Tribute to Samuel Epstein* (ed., H.P. Taylor, Jr., et al.), *Geochemical Society Special Publication* 3, 257-270.
- Yapp, C.J. (1991) Oxygen isotopes in an oolitic ironstone and the determination of goethite $\delta^{18}\text{O}$ values by selective dissolution of impurities: the 5 M NaOH method, *Geochimica et Cosmochimica Acta* 55, 2627-2634.

- Yapp, C.J. and Poths, H. (1992) Ancient atmospheric CO₂ pressures inferred from natural goethites, *Nature* 355, 342-344.
- Yapp, C.J. (1993) Paleoenvironment and the oxygen isotope geochemistry of ironstone of the Upper Ordovician Neda Formation, Wisconsin, USA, *Geochimica et Cosmochimica Acta* 57, 2319-2327.
- Yapp, C.J. (1993) The stable isotope geochemistry of low temperature Fe(III) and Al "oxides" with implications for continental paleoclimates, *Climate Change in Continental Isotopic Records, Geophysical Monograph* 78, 285-294.
- Yapp, C.J. and Poths, H. (1993) The carbon isotope geochemistry of goethite (α -FeOOH) in ironstone of the Upper Ordovician Neda Formation, Wisconsin, USA: implications for early Paleozoic continental environments, *Geochimica et Cosmochimica Acta* 57, 2599-2611.
- Yapp, C.J. and Poths, H. (1994) Productivity of pre-vascular continental biota inferred from the Fe(CO₃)OH content of goethite, *Nature* 368, 49-51.
- Yapp, C.J. and Poths, H. (1995) Stable hydrogen isotopes in iron oxides: III. nonstoichiometric hydrogen in goethite, *Geochimica et Cosmochimica Acta* 59, 3405-3412.
- Yapp, C.J. and Poths, H. (1996) Carbon isotopes in continental weathering environments and variations in ancient atmospheric CO₂ pressure, *Earth and Planetary Science Letters* 137, 71-82.
- Yapp, C.J. (1996) The abundance of Fe(CO₃)OH in goethite and a possible constraint on minimum atmospheric oxygen partial pressures in the Phanerozoic, *Geochimica et Cosmochimica Acta* 60, 4397-4402.
- Yapp, C.J. (1997) An assessment of isotopic equilibrium in goethites from a bog iron deposit and a lateritic regolith, *Chemical Geology* 135, 159-171.
- Yapp, C.J. (1998) Paleoenvironmental interpretations of oxygen isotope ratios in oolitic ironstones, *Geochimica et Cosmochimica Acta*, 62, 2409-2420.
- Hsieh, J.C.C. and C.J. Yapp (1999) Stable carbon isotope budget of CO₂ in a wet, modern soil as inferred from Fe(CO₃)OH in goethite: possible role of calcite dissolution, *Geochimica et Cosmochimica Acta* 63, 767-783.
- Hsieh, J.C.C. and C.J. Yapp (1999) Hydrogen isotope exchange in halloysite: insight from room temperature experiments, *Clays and Clay Minerals* 47, 811-816.

- Yapp, C.J. (2000) Climatic implications of surface domains in arrays of δD and $\delta^{18}O$ from hydroxyl minerals: goethite as an example, *Geochimica et Cosmochimica Acta* 64, 2009-2025.
- Yapp, C. (2001) Rusty relics of Earth history: iron (III) oxides, isotopes, and surficial environments, *Annual Review of Earth and Planetary Sciences* 29, 165-199.
- Yapp, C.J. (2001) Mixing of CO_2 in surficial environments as recorded by the concentration and $\delta^{13}C$ values of the $Fe(CO_3)OH$ component in goethite, *Geochimica et Cosmochimica Acta* 65, 4115-4130.
- Yapp, C.J. (2002) Erratum to: "Mixing of CO_2 in surficial environments as recorded by the concentration and $\delta^{13}C$ values of the $Fe(CO_3)OH$ component in goethite". *Geochimica et Cosmochimica Acta* 66, 1497.
- Clark-Thorne, S.T. and Yapp, C.J. (2003) Stable carbon isotope constraints on mixing and mass balance of CO_2 in an urban atmosphere: Dallas metropolitan area, Texas, USA, *Applied Geochemistry* 18, 75-95.
- Yapp, C.J. (2003) A model for $^{18}O/^{16}O$ variations in CO_2 evolved from goethite during the solid state $\alpha-FeOOH$ to $\alpha-Fe_2O_3$ phase transition. *Geochimica et Cosmochimica Acta* 67, 1991-2004.
- Yapp, C.J. (2004) $Fe(CO_3)OH$ in goethite from a mid-latitude North American Oxisol: estimate of atmospheric CO_2 concentration in the Early Eocene "climatic optimum". *Geochimica et Cosmochimica Acta* 68, 935-947.
- Tabor, N.J., Yapp, C.J., and Montañez, I.P. (2004) Goethite, calcite, and organic matter from Permian and Triassic soils: carbon isotopes and CO_2 concentrations. *Geochim. Cosmochim. Acta* 68, 1503-1517.
- Balakrishnan, M. and Yapp, C.J. (2004) Flux balance models for the oxygen and carbon isotope compositions of land snail shells. *Geochimica et Cosmochimica Acta* 68, 2007-2024.
- Balakrishnan M., Yapp, C.J., Theler J.L., Carter B.J., and Wyckoff D.G. (2005) Environmental significance of $^{13}C/^{12}C$ and $^{18}O/^{16}O$ ratios of modern land snail shells from the southern Great Plains of North America. *Quaternary Research* 63, 15-30.
- Balakrishnan M., Yapp C.J., Meltzer D.J., and Theler J.L. (2005) Paleoenvironment of the Folsom archaeological site New Mexico, $\sim 10,500$ ^{14}C years B.P. as inferred from the stable isotope composition of fossil land snail shells. *Quaternary Research* 63, 31-44.

- Tabor, N.J. and Yapp, C.J. (2005) Incremental vacuum dehydration-decarbonation experiments on a natural gibbsite (α -Al(OH)₃): CO₂ abundance and $\delta^{13}\text{C}$ values. *Geochimica et Cosmochimica Acta* 69, 519-527.
- Tabor, N.J. and Yapp, C.J. (2005) Juxtaposed Permian and Pleistocene isotopic archives: Surficial environments recorded in calcite and goethite from the Wichita Mountains, Oklahoma. *Geological Society of America Special Paper* 395, 55-70.
- Tabor, N.J. and Yapp, C.J. (2005) Coexisting goethite and gibbsite from a high paleolatitude (55°N) Late Paleocene laterite: concentration and $^{13}\text{C}/^{12}\text{C}$ ratios of occluded CO₂ and associated organic matter. *Geochimica et Cosmochimica Acta* 69, 5495-5510.
- Yapp, C.J. (2007) Oxygen isotopes in synthetic goethite and a model for the apparent pH dependence of goethite-water $^{18}\text{O}/^{16}\text{O}$ fractionation. *Geochimica et Cosmochimica Acta* 71, 1115-1129.
- Feng, W. and Yapp, C.J. (2008) Experimental tests of the effects of Al substitution on the goethite-water D/H fractionation factor. *Geochimica et Cosmochimica Acta* 72, 1295-1311.
- Yapp, C.J. (2008) $^{18}\text{O}/^{16}\text{O}$ and D/H in goethite from a North American Oxisol of the Early Eocene climatic optimum. *Geochimica et Cosmochimica Acta* 72, 5838-5851.
- Feng, W. and Yapp, C.J. (2009) Paleoenvironmental implications of concentration and $^{13}\text{C}/^{12}\text{C}$ ratios of Fe(CO₃)OH in goethite from a mid-latitude Cenomanian laterite in southwestern Minnesota. *Geochimica et Cosmochimica Acta* 73, 2559-2580.
- Feng, W. and Yapp, C.J. (2009) $^{18}\text{O}/^{16}\text{O}$ and D/H ratios of pedogenic kaolinite in a North American Cenomanian laterite: paleoclimatic implications. *Geochimica et Cosmochimica Acta* 73, 6249-6263.
- Yanes Y., Yapp C.J., Delgado A., Ibáñez M., Alonso M.R., De-la-Nuez J., Castillo C., Quesada M.L. (in review) 50,000 yrs of Pleistocene-Holocene environmental change in the Canary Archipelago: a land snail isotopic record. *Quaternary Research* (submitted).
- Yanes Y. and Yapp C.J. (in review) Indoor and outdoor urban atmospheric CO₂: stable carbon isotope constraints on mixing and mass balance. *Applied Geochemistry* (submitted).

Abstracts of Conference Presentations

- Yapp, C.J., Epstein, S. and Hall, J.H. (1975) The determination of the D/H ratio of nonexchangeable hydrogen in cellulose extracted from aquatic and land plants, *EOS* 56, 460.
- Epstein, S. and Yapp, C.J. (1975) Climatic implications of the D/H ratio of hydrogen in C-H groups in tree cellulose, *EOS* 56, 460.
- Yapp, C.J. (1982) A model for the relationship between precipitation D/H ratios and precipitation intensity, *EOS* 63, 775.
- Yapp, C.J. (1983) Stable hydrogen isotope variations in goethite, *Geological Society of America Abstracts with Program*, V. 15, 724.
- Yapp, C.J. and Epstein, S. (1985) Seasonal contributions to the climatic variations recorded in tree ring D/H data, *EOS* 66, 30.
- Yapp, C.J. and Poths, H. (1985) Carbon in natural goethites, *EOS* 66, 423.
- Yapp, C.J. (1985) Oxygen isotope variations in goethite, *Geological Society of America Abstracts with Program*, V. 17, 756.
- Yapp, C.J. and Poths, H. (1985) Carbon abundance and stable isotope ratios in goethite (α -FeOOH), *EOS* 66, 1118.
- Yapp, C.J. (1986) The possibility of determining CO₂ partial pressures in geological systems with iron oxyhydroxides, *Geological Society of America Abstracts with Program*, V. 18, 797.
- Yapp, C.J. (1988) Oxygen isotopes in iron (III) oxides and a reexamination of some Precambrian BIF paleotemperature estimates, *EOS* 69, 518.
- Yapp, C.J. (1988) Oxygen isotope geochemistry and paleotemperatures of the Upper Ordovician Neda Fm. ironstone, *Geological Society of America Abstracts with Program*, V. 20, 192.
- Yapp, C.J. and Poths, H. (1988) Indigenous carbon dioxide in FeOOH, *EOS* 69, 1481.
- Yapp, C.J. (1989) Possible oxygen isotope constraints on the depositional environment of a Precambrian quartz-hematite BIF, *EOS* 70, 489.
- Yapp, C.J. and Poths, H. (1989) Carbon isotope variations in the Fe(III) carbonate component of α -FeOOH, *EOS* 70, 1399.
- Yapp, C.J. and Poths, H. (1989) ¹³C/¹²C ratios of the Fe(III) carbonate component in natural goethites, *Epstein 70th Birthday Symposium, Abstracts with Programs*, 138-139.
- Yapp, C.J. and Poths, H. (1990) "Trapped CO₂" in goethite-dominated Ordovician oolitic ironstone: possible implications for atmospheric CO₂ partial pressures, *EOS* 71, 663.
- Yapp, C.J. and Poths, H. (1990) Late Ordovician CO₂ flux from a tropical weathering profile: inferences from the Fe(CO₃)OH component in goethite of an oolitic ironstone, *Geological Society of America Abstracts with Program*, V. 22, no. 7, 194.

- Yapp, C.J. and Poths, H. (1991) Ancient atmospheric CO₂ pressures: indications from oolitic ironstones, *EOS* 72, 166.
- Yapp, C.J. (1991) Stable isotopes in Fe(III) and Al “oxides” as indicators of continental paleoclimates, *Chapman Conference: Continental Isotopic Indicators of Climate*, p. 12.
- Yapp, C.J. and Poths, H. (1991) Globally significant paleoclimatic parameters: stable isotopes in FeOOH, *Geological Society of America Abstracts with Program*, V. 23, 121.
- Yapp, C.J. (1992) Oxidation of organic matter recorded by α -FeOOH, *EOS* 73, 112.
- Yapp, C.J. (1992) A weathering profile constraint on the lower limit of atmospheric oxygen partial pressure in the Early Paleozoic, *Geological Society of America Abstracts with Program*, V. 24, A285.
- White, C.A., Grambling, J.A. and Yapp, C.J. (1992) Mineralogic, petrologic and stable isotope evidence for fluid infiltration during metamorphism of pelitic schist and quartzite, Rio Mora, New Mexico, *Geological Society of America Abstracts with Program*, V. 24, A250.
- Yapp, C.J. (1993) A solid solution as a proxy for ancient atmospheric PCO₂, *EOS* 74, 183.
- Yapp, C.J. and Poths, H. (1993) Pre-vascular biomass and soil CO₂ respiration on Early Paleozoic continents: implications from an Upper Ordovician weathering profile, *Geological Society of America Abstracts with Program*, V. 25, no. 6, A-89.
- Yapp, C.J. and Poths, H. (1994) Carbon isotopes in continental weathering environments and variations in atmospheric PCO₂ during the Phanerozoic, *Geological Society of America Abstracts with Program*, V. 26, no. 7, A-352.
- Yapp, C.J. (1995) Isotopic changes as climate-related variables: presented at the workshop on *Past Changes in Western North America, PAGES, PEP-1 (Americas) Transect*, held in Albuquerque, New Mexico.
- Allen, B.D., Anderson, R.Y. and Yapp, C.J. (1995) Multiple-proxy lacustrine record of moisture transport over western North America from 24 to 12 kyrs BP, Lake Estancia, New Mexico: presented at the *Twelfth Annual Pacific Climate (PACCLIM) Workshop*, Asilomar, California.
- Yapp, C.J. (1996) A possible constraint on minimum atmospheric oxygen partial pressures in the Phanerozoic from carbon abundances in oolitic goethite (FeOOH), *Geological Society of America Abstracts with Program*, V. 28, no. 7, A-341.
- Hsieh, J.C.C. and Yapp, C.J. (1997) The abundance and carbon isotope ratio of iron (III) hydroxycarbonate in goethite from a modern weathering profile in east Texas, *Geological Society of America Abstracts with Program*, V. 29, no. 6, p. A-85.
- Yapp, C.J. (1997) Paleoenvironmental implications of oxygen isotope ratios in goethite from ancient oolitic ironstones, *Geological Society of America Abstracts with Program*, V. 29, no. 6, p. A-85.

- Hsieh, J.C.C and Yapp, C.J. (1998) In situ sources of soil CO₂ as inferred from the iron (III) carbonate component in goethite. *Geological Society of America Abstracts with Program*, V. 30, no. 7, p. A-222.
- Yapp, C.J. and Hsieh, J.C.C. (1998) A model for soil CO₂ carbon isotope ratios in a soil with two isotopically and spatially distinct in situ sources of CO₂. *Geological Society of America Abstracts with Program*, V. 30, no. 7, p. A-222.
- Yapp, C.J. (1999) The concept of surface domain in plots of δD and $\delta^{18}O$ for hydroxide minerals: significance for global paleoclimatic interpretations—goethite as an example, *Geological Society of America Abstracts with Program*, V. 31, no. 7, A222.
- Balakrishnan, M. and Yapp, C.J. (2000) Isotopic compositions of land snail shells and their environmental implications, *Geological Society of America Abstracts with Program*, V. 32, A217.
- Yapp, C.J. (2000) Mixing relations in CO₂ of surficial environments recorded by Fe(CO₃)OH in goethite, *Geol. Soc. Amer., Abstracts with Program*, V. 32, A486.
- Tabor, N.J., Yapp, C.J., and Montañez, I.P. (2002) Goethite, calcite, and organic matter from Permian and Triassic soils: carbon isotopes and CO₂ concentrations. *Geological Society of America Abstracts with Program*, V. 34, no. 6, p. 64.
- Yapp, C.J. (2002) Fe(CO₃)OH in goethite as a paleoenvironmental indicator: an example from a middle Eocene paleosol. *Geological Society of America Abstracts with Programs*, V. 34, no. 6, p. 64.
- Tabor, N.J. and Yapp, C.J. (2003) Implications for Late Paleocene atmospheric CO₂ from light stable carbon isotope measurements of Fe(CO₃)OH in solid solution in goethite from a laterite in Northern Ireland, *Geological Society of America Abstracts with Program*, V. 35, p. A585.
- Tabor, N.J. and Yapp, C.J. (2004) Carbon isotope measurements of Fe(III) carbonate in goethite from a Late Paleocene laterite at 55°N, *Geological Society of America Abstracts with Program*, V. 36, no. 5, p. 17.
- Feng, W. and Yapp, C.J. (2006) Experimental tests of the effects of Al substitution on the goethite-water D/H fractionation factor, *Geological Society of America Abstracts with Programs*, V. 38, no. 7, p. 532.
- Yapp, C.J. (2006) Hydrogen and oxygen isotopes in an Early Eocene oxisol, *Geological Society of America Abstracts with Programs*, V. 38, no. 7, 2. 472.
- Faber, M.L., Yapp, C.J., and Lubell, D. (2007) Stable isotope composition of land snails from an ~8ka B.P. archaeological site in eastern Algeria, *Geological Society of America Abstracts with Programs*, V. 39, no. 6, p. 28.
- Feng, W. and Yapp, C.J., (2007) Concentration and carbon isotope composition of Fe(CO₃)OH in pedogenic goethite of a mid-Cretaceous paleosol in southwestern Minnesota, *Geological Society of America Abstracts with Programs*, V. 39, no. 6, p. 14.
- Lubell D., Jackes M., Faber M.L., and Yapp C.J. (2008) Land snail stable isotopes and the Capsien Typique-Capsien Superieur transition in eastern Algeria. 2nd Archaeomalacology Working Group Meeting, Santander, Spain, February 19-22,

2008, 22-23.

- Feng, W. and Yapp, C.J. (2008) Paleoenvironmental implications of carbon and hydrogen isotopes in minerals from a mid-latitude Cenomanian laterite, *EOS Trans. AGU 89 (23), Spring Meet. Suppl.*, Abstract PP21A-06.
- Faber, M, Yapp, C.J. and Lubell, D (2008) Oxygen and Carbon Isotope Compositions of Land Snail Shells from ~8ka B.P. Archeological Sites in Interior Algeria. *GSA-ASA-CSSA-SSSA, and GCAGS 2008 Joint Annual Meeting Abstracts with Program*, Abstract 326-6.
- Yapp, C.J. (2008) Sniffing the Air In Ancient Soils: Pedogenic Goethite and Soil Carbon Dioxide. *GSA-ASA-CSSA-SSSA, and GCAGS 2008 Joint Annual Meeting, Abstracts with Program*, Abstract 63-3.
- Feng, W. and Yapp, C.J. (2008) Possible implications of variations of carbon dioxide concentration and $^{13}\text{C}/^{12}\text{C}$ in a mid-Cretaceous paleosol as estimated from the $\text{Fe}(\text{CO}_3)\text{OH}$ component of goethite. *GSA-ASA-CSSA-SSSA, and GCAGS 2008 Joint Annual Meeting, Abstracts with Program*, Abstract 63-7.
- Yanes Y. and Yapp C.J. (2009) A 50,000-year land snail isotopic record of Pleistocene-Holocene environmental change in the Canary Archipelago. *Geological Society of America Abstracts with Programs*, Vol. 41, No. 7, p. 402.
- Feng W. and Yapp C.J. (2009) Concentration and $\delta^{13}\text{C}$ values of occluded CO_2 in coexisting gibbsite and goethite of a Cenomanian paleosol. *EOS Trans. AGU, Fall Meet. Suppl.*